

<i>Internacional Research Conference on Huanglongbing (IRCHLB)</i> <i>'Reaching Beyond Boundaries'</i>		
Index of Presentations:		
No.	Presentation and Authors	Page
Keynote Lectures		
K1	Historical perspectives of HLB in Asia - Bernard Aubert	14
K2	Evolution of Citrus, <i>Diaphorina citri</i>, and <i>Liberibacter asiaticus</i> - Andrew Beattie	23
K3	Research and Health Management of Citrus Huanglongbing in Taiwan - Hong-Ji Su	57
Session 1: Current HLB Situation and Concerns Regarding Asian Citrus Greening and the Asian Citrus Psyllid - Peter McClure, Moderator		
1.1	Current HLB situation and industry perspective in Asia – <u>Beattie, G.A.C.</u> and Holford, P.	94
1.2	Current HLB situation and citrus producer's perspective in South America - <u>Clóvis Penalva Monteiro</u>	95
1.3	Current HLB situation and citrus producer's perspective in US - <u>Jim Snively</u>	
Session 2: HLB Survey - M. Irey, Moderator		
2.1	Current situation of citrus huanglongbing in Cuba – <u>Llauger, R.</u>, Luis, M. Collazo, C., Peña, I., González, C., Batista, L., Teixeira, D., Martins, E., Perdomo, A., Casin, J.C., Pérez, J.L., and Cueto, J.R. and Bové, J.M.	99
2.2	Data trends and results from an HLB laboratory that has processed over 55,000 commercial and research samples over a two year period in Florida. <u>Irey, M.</u>, Mai, P., Graham, J., and Johnson, J.	103
2.3	Texas steps up surveys for huanglongbing and the Asian citrus psyllid – daGraca, J. V., Skaria, M., Setamou, M., Kunta, M., Arredondo, M., Salas, B., Parker, P.E.	104
2.4	National plan for detection of HLB in Mexico – Robles, G.P., Sanchez, A.H., Mendez, L.O.	106
2.5	Survey for “<i>Candidatus Liberibacter</i> species in South Africa – <u>Pietersen, G.</u>, Kotzé, A., Phahladira, M.N.B., Schwerdtfeger, M.	110
2.6	Large-scale distribution of <i>Diaphorina citri</i> Kuwayama and citrus huanglongbing in Florida – <u>Halbert, S.E.</u>, Manjunath, K., and Brodie, M.W.	112
2.7	Is it possible to replant young groves in an area with endemic HLB – a hierarchical sampling approach to determine infection? – <u>Irey, M.</u>, Gottwald, T., Stewart, M., and Chamberlain, H.	116
Session 3: HLB Detection and Diagnostics – J. Hartung, Moderator		
3.1	Lessons learned from a comparison and evaluation of multiple HLB testing laboratories employing common and different testing methodologies on a common set of samples – <u>Irey, M.</u>, Sieburth, P., Brlansky, R., DaGraça, J., Graham, J., Gottwald, T., Hartung, J., Hilf, M., Kunta, M., Manjunath, K., Lin, H., Ramdugu, C., Roberts, P., Rogers, M., Shatters, R., Sun, X., and Wang, N.	119
3.2	Improved detection of low-titer, non-lethal, seed transmitted <i>Candidatus Liberibacter asiaticus</i> in citrus, periwinkle, and dodder using nested PCR – Zhou, L.-J., Benyon, L. S., Powell, C. A., Gottwald, T., and Duan, Y.-P.	120
3.3	Detection of “<i>Candidatus Liberibacter asiaticus</i>” by cycleave isothermal and chimeric primer-initiated amplification of nucleic acids (Cycleave ICAN) – Urasaki, N., <u>Kawano, S.</u>, Mukai, H., Uemori, T., Takeda, O., and Sano, T.	124
3.4	A novel molecular diagnostic tool for improved sensitivity and reliability detection of “<i>Candidatus Liberibacter asiaticus</i>” bacterium associated with huanglongbing (HLB) – Lin, H., Doddapaneni, H., and Civerolo, E. L.	127
3.5	Citrus greening (Huanglongbing) disease in India: present status and diagnostic efforts – <u>Das, A.K.</u>	129
3.6	Improvement of <i>Candidatus Liberibacter asiaticus</i> diagnosis by nested PCR – Coletta-Filho, H.D., Alves, K.C.S., Carlos, E.F., Pereira, M.A.R., <u>Machado, M.A.</u>	134

3.7	Optimizing qPCR for detection of <i>Candidatus Liberibacter species</i> in plants and psyllid samples – Shatters, R. G., Hunter, W., Hall, D., Niedz, R., Evens, T. J.	135
3.8	Comparison of detection sensitivity of different primer pairs for citrus huanglongbing bacterium – Ding, F., Wang, G., Yi, G., Hong, N., Zhong, Y.	136
3.9	Quantification of viable <i>Candidatus Liberibacter asiaticus</i> in hosts using quantitative PCR with the aid of ethidium monoazide (EMA) – Sagaram, U.S., Trivedi, P., Kim, J-S, Brlansky, R.H., Rogers, M.E., Stelinski, L.L., Oswalt, C., and Wang, N.	138
3.10	PCR for detection of Asian and American strains of <i>Candidatus Liberibacter</i> In citrus, <i>Murraya</i> and <i>Diaphorina</i> from Northwest Argentina – Ramallo, J., Acosta, E., Rojas, A., Stein, B.	139
3.11	Current situation of citrus Huanglongbing associated with “<i>Candidatus Liberibacter asiaticus</i>” in Guangdong, China. Deng, X., Chen, J., Xu, J., Guo, H., Pu, X., Cai, L., and Li, H.	141
3.12	Molecular approach for early detection of <i>Candidatus Liberibacter species</i> in Texas citrus – Bextine, B., Gunawan, S., Hunter, W., and Shatters, R.	142
3.13	Comparison of a starch-based field test for Huanglongbing to results from real-time PCR testing of field samples from symptomatic trees in Florida - Chamberlain, H. L. and M. S. Irey	144
Session 4: Pathogen Genome Sequencing, Phylogenetics, and Culturing – W. Dawson, Moderator		
4.1	Evaluation of potential pathogenicity genes identified by genomic sequencing of <i>Ca. Liberibacter asiaticus</i> – Zhang, S., Reddy, S., and Gabriel, D. W.	146
4.2	Zebra complex and HLB: Seeking a common enemy? Bextine, B. Swatsell, C. and Hunter, W.	149
4.3	Microbiome analysis of HLB pathogen infected citrus using phylochips and 16S rDNA clone library sequencing – Sagaram, S., DeAngelis, K. M., Trivedi, P., Kim, J-S, Anderson, G.L., and Wang, N.	151
4.4	Several <i>Liberibacter</i> and phytoplasma species are individually associated with HLB – Bové, J.M., Teixeira, D.C., Wulff, N.A., Eveillard, S., Saillard, C., Bassanezi, R. B., Lopes, S., Yamamoto, P.T., Ayres, A.J.	152
4.5	Phylogenetic analysis of citrus huanglongbing bacterium based on the sequences of 16S rDNA and 16S / 23S rDNA intergenic regions among isolates in China – Ding, F., Deng, X., Hong, N., Zhong, Y., Wang, G., Yi, G.	156
4.6	Ribosomal RNA operons and genome size of <i>Candidatus Liberibacter americanus</i>, a bacterium associated with citrus huanglongbing in Brazil – Wulff, N.A., Eveillard, S., Foissac, X., Ayres, A.J., and Bové, J.M.	159
4.7	Genome analysis of <i>Candidatus Liberibacter asiaticus</i> reveals unique features for designing HLB control strategies – Duan, Y.-P., Zhou, L.J, Hall, D., Li, W.B., Lin, H., Doddapaneni, H., Liu, L., Vahling, C.M., and Gottwald, T.	165
4.8	Cocultivation of <i>Candidatus Liberibacter asiaticus</i> with actinobacteria from citrus with huanglongbing – Davis, M.J., Mondal, S.N., Chen, H.-Q., Rogers, M.E., Brlansky, R.H.	166
4.9	Development of an Asian citrus psyllid (<i>Diaphorina citri</i>) insect cell line – M.W. Lewis and Keyhani, N.O.	167
4.10	Enrichment of <i>Candidatus Liberibacter americanus</i> using an artificial psyllid feeding system – Locali-Fabris, E.C., Coletta-Filho, D., Miranda, M.P., Francisco, C.S., Lopes, J.R.S., Machado, M.A.	168
4.11	Asian citrus psyllid (<i>Diaphorina citri</i>) cell culture methods – Marutani-Hert, M., Hunter, W., Hall, D.G.	169
4.12	Genetic diversity of <i>Candidatus Liberibacter asiaticus</i> and <i>Ca. L. americanus</i> based on sequence variations of their rRNA operon – Zhou, L.J., Powell, C.A., Gottwald, T., Duan, Y.P.	172
4.13	Efficient enrichment of the pathogen DNA from HLB infected host – Chen, C., Yu, Q., Gmitter, F.	176
4.14	Characterization of “<i>Candidatus Phytoplasma asteri</i>” citrus huanglongbing strain in	177

	Guangdong, China – Chen, J., Deng, X., Pu, X., Cai, L., and Guo, H.	
4.15	Visible/near-infrared spectroscopy for discrimination of HLB-infected citrus leaves from healthy leaves – Poole, G., Windham, W., Heitschmidt, G., Park, B., and Gottwald, T.	178
Session 5: Host Pathogen Interaction – J. daGraca, Moderator		
5.1	<i>Liberibacter</i> populations in citrus and orange jasmine trees in São Paulo, Brazil – Lopes, S. A., Frare, G. F., Bertolini, E., Wulff, N. A.	182
5.2	The effects of HLB-infection on respiration and development of roots of <i>Feroniella</i> rootstock (<i>Feroniella oblata</i>) which showed resistance to HLB bacterium – Ogata, T., Kobori, Y., Kawabe, K., Yonemoto, H., Ohto, Y., Nguyen, T.B., and Nguyen, M.C.	184
5.3	Anatomical evolution of symptoms from infection with the HLB bacterium – Achor, D. S., Chung, K-R., Exteberria, E., Wang, N., and Albrigo, L. G.	185
5.4	Influence of temperature on huanglongbing infection under controlled environment – Gasparoto, M. C. G., Bassanezi, R. B., Lopes, S. A., Frare, G., Martins, E. C., Della Colletta Filho, H., Amorim, L.	186
5.5	Can <i>Ca. Liberibacter asiaticus</i> be transmitted through citrus seed? Hartung, J. S., Halbert, S., Shatters, R.	188
5.6	Biochemical changes after infection with <i>Candidatus Liberibacter asiaticus</i> in citrus – JiangBo, Zhong, Y., Wanghui, Yi, G.	189
5.7	“<i>Candidatus Liberibacter solanacearum</i>” associated with zebra chip of potato is not associated with citrus huanglongbing and is absent in Asian citrus psyllid – Li, W., Abad, J. A., and Levy, L.	190
5.8	Discovery of <i>Candidatus Liberibacter psyllauros</i> and its insect vector the tomato psyllid (<i>Bactericera cockerelli</i>) – Hansen, A.K., Paine, T.P., Stouthamer, R.	194
5.9	Response of sweet orange (<i>Citrus sinensis</i>) to <i>Candidatus Liberibacter asiaticus</i> infection: microscopy and microarray analyses – Kim, J-S., Sagaram, U.S., Burns, J. K., Li, J-L., and Wang, N.	196
5.10	Asian strains of citrus greening bacterium with genetic and pathogenic variation on pummelo – Miyata, S., Tomimura, K., Furuya, N., Okuda, M., Subandiyah, S., Tsai, C.H., Hung, T.H., Su, H.J., and Iwanami, T.	197
5.11	Detection of <i>Candidatus Liberibacter asiaticus</i> in citrus seedlings germinated from Florida seed – Shatters, R. G.	198
5.12	Assessment of transmission of <i>Liberibacter asiaticus</i> from seed to seedlings of ‘Pineapple’ sweet orange and ‘Carrizo’ citrange – Graham, J. H., Ireby, M. S., Dawson, W. O., Hall, D., Duan, Y.	199
5.13	Metabolite changes in HLB orange leaves by GC-MS and other techniques – Cevallos-Cevallos, J.M., Reyes-De-Corcuera, J.I.	201
5.14	Regeneration and chemotherapy of huanglongbing-affected periwinkle – Zhang, M-Q., Duan, Y-P., Powell, C.A.	203
5.15	Differences in secondary metabolites in leaves from trees affected with the greening (HLB) disease – Manthey, J.	207
5.16	Role of <i>Murraya</i> species in the spread of huanglongbing – Ramadugu, C., Lopes, S., Manjunath, K., Halbert, S., Roose, M., and Lee, R.	210
5.17	Identification of a new <i>Liberibacter</i> species associated with diseases of solanaceous plants – Liefting, L., Sutherland, P.W., Ward, L.I., Weir, B.S., Kumarasinghe, L., Quinn, B.D., and Clover, G.R.G	211
Session 6: Asian Citrus Psyllid (Biology and Genomics) – D. Hall, Moderator		
6.1	Gene expression in midgut tissues of <i>Diaphorina citri</i>: application to biology and vector control – Hunter, W., Marutani-Hert, M., Shelby, K., Coudron, T.	214
6.2	Pheromones of the Asian citrus psyllid, <i>Diaphorina citri</i> Kuwayama (Hemiptera: Psyllidae) elicit behavioral responses from its parasitoid, <i>Tamarixia radiata</i> (Waterston) (Hymenoptera: Eulophidae) – Onagbola, E. O., Rouseff, R. L., Stelinski, L. L.	218
6.3	Effects of freezes on survival of <i>Diaphorina citri</i> – Hall, D. G.	219
6.4	Characterization of electrical penetration graphs of <i>Diaphorina citri</i> Kuwayama	222

	(Hemiptera: Psyllidae) in citrus – Bonani, J.P., Fereres, A., Appezzato-da-Gloria, B., Garzo, E.I., Miranda, M.P., Lopes, J.R.S.	
6.5	Symbionts associated with <i>Diaphorina citri</i> Kuwayama (Hemiptera: Psyllidae) in Brazil and a look into their role – Salvador, I., Cõnsoli, F. L.	223
6.6	Endosymbiotic microbiota of Asian citrus psyllid (<i>Diaphorina citri</i>) – Marutani-Hert, M., Hunter, W., Dowd, S., and Hall, D.	224
6.7	FK506-Binding protein from <i>Diaphorina citri</i> (Hemiptera: Psyllidae) – Hunter, W., Shatters, R.	228
6.8	Gene expression in Asian citrus psyllid adults feeding from Florida citrus: Application to biology and vector control – Hunter, W., Shelby, K., Dowd, S., McKenzie, C., Shatters, R.	233
6.9	Asian citrus psyllid, genetic basis of immunity – Marutani-Hert, M., Hunter, W.B., Shelby, K.S.	238
6.10	Effects of host plant on fitness of the Asian citrus psyllid, <i>Diaphorina citri</i> – Tsagkarakis, A. E., and Rogers, M. E.	242
6.11	Development of a potato psyllid (<i>Bactericera cockerelli</i>) cell culture – Bextine, B., Tufts, D., Timmons, C., Hunter, W., Marutani-Hert, M.4	244
Session 7: Asian Citrus Psyllid (Ecology and Transmission) – S. Halbert, Moderator		
7.1	Acquisition of <i>Candidatus Liberibacter asiaticus</i> by the Asian citrus psyllid, <i>Diaphorina citri</i>, and the potential use of insecticides to prevent pathogen transmission – Rogers, M. E., Brlansky, R. H., Ebert, T. A., Serikawa, R. H., Schumann, R. A., and Stelinski, K. P.	247
7.2	Leaf age influencing acquisition of <i>Candidatus Liberibacter asiaticus</i> by the psyllid vector <i>Diaphorina citri</i> – Bonani, J.P., Appezzato-da-Gloria, B., Fereres, A., Engels, F.E., Lopes, J.R.S.	249
7.3	Ecological studies on initial invasion of <i>Diaphorina citri</i> into the newly planting citrus fields – Kobori, Y., Nakata, T., Ohto, Y., and Takasu, F.	250
7.4	Spatial distribution of adults of <i>Diaphorina citri</i> Kuwayama (Hemiptera: Psyllidae) in ‘Valencia’ sweet orange trees – Costa, M.G., Felipe, M. R., Garbim, L.F., Carmo-Uehara, A., Yamamoto, P.T., Barbosa, J.C.	251
7.5	Population dynamics of <i>Diaphorina citri</i> in citrus orchards in São Paulo State, Brazil – Yamamoto, P.T., Felipe, M.R., Rugno, G.R., Beloti, V. H., Coelho, J.H.C., Ximenes, N.L., Garbim, L.F., Carmo-Uehara, A.	252
7.6	The seasonal influence of <i>Candidatus Liberibacter asiaticus</i> in the Asian citrus psyllid, <i>Diaphorina citri</i> Kuwayama (Homoptera: Psyllidae) in Okinawa, Japan – Sadoyama, Y., and Takushi, T.	253
7.7	Diurnal patterns in flight activity and effect of light on host finding behavior of the Asian citrus psyllid – Sétamou, M., Sanchez, A., Patt, J., Louzada, E.	255
7.8	Psyllids of citrus orchards in South Texas – Thomas, D.B.	258
7.9	Seasonal occurrence of <i>Candidatus Liberibacter asiaticus</i> in Asian citrus psyllids in Florida – Ebert, T.A., Rogers, M.E., and Brlansky, R. H.	259
7.10	Incidence and population of “<i>Candidatus Liberibacter asiaticus</i>” in Asian citrus psyllids (<i>Diaphorina citri</i>) on citrus plants affected by huanglongbing in Florida – Li, W., Duan, Y.P., Brlansky, R. H., Twieg, E. and Levy, L.	261
7.11	Response of Asian citrus psyllid to aromas emitted by the flushing shoots of their rutaceous host plants in a Y-tube olfactometer. Sétamou, M. and Patt, J. M.	266
Session 8: Economics, Fruit Quality, Crop Loss – L. Baldwin, Moderator		
8.1	An update on the effect of HLB on orange juice flavor – 2) Sensory evaluation – Plotto, A., McCollum, G., Baldwin, E., Manthey, J., and Irej, M.	267
8.2	Effect of greening plant disease (huanglongbing) on orange juice flavor and consumer acceptability. Goodrich-Schneider, R., Sims, C., Valim, M., Spann, T., Danyluk M. and Rouseff, R.	269
8.3	Yield reduction caused by huanglongbing in different sweet orange cultivars in São Paulo, Brazil – Bassanezi, R. B., Montesino, L. H., Amorim, L., Gasparoto, M.C.G., Bergamin Filho, A.	270

8.4	The production and price effects of citrus greening in São Paulo and Florida on the world orange juice market – Spreen, T. H., Brown, M.G., Jauregui, C.	274
8.5	The economics of management strategies to mitigate the impact of citrus greening in Florida citrus – Muraro, R.P., Morris, R. A.	275
8.6	An update on the effect of citrus HLB on orange juice flavor 1) Chemical components – Baldwin, E., Manthey, J., Plotto, A., McCollum, G., and Irey, M.	276
8.7	The citrus greening bibliographical database, a new tool for researchers, students and growers – Arevalo, H.A., Snyder, G., and Stansly, P. A.	277
Session 9: International Regulatory Agencies – Regulating HLB - Phil Berger and Wayne Dixon, Moderators		
9.0	Select representatives for various countries will present how their National Plant Protection Organizations have addressed or are addressing the challenges of HLB. The emphasis will be on what has worked, what has not, and common international unifying themes.	279
Session 10: Epidemiology – A. Bergamin, Moderator		
10.1	Relationship between insecticide sprays and huanglongbing progress in a citrus orchard in São Paulo, Brazil – Bergamin-Filho, A., Gasparoto, M.C.G., Bassanezi, R.B., Amorim, L.	282
10.2	A stochastic spatiotemporal analysis of the contribution of primary versus secondary spread of HLB – Gottwald, T., Irey, M., Bergamin-Filho, A., Bassanezi, R., and Gilligan, C.A.	285
10.3	HLB survival analysis – a spatiotemporal assessment of the threat of an HLB - positive tree to its neighbors – Gottwald, T., Irey, M., and Taylor, E.	291
10.4	Use of mathematical models to inform control of an emerging epidemic – Gilligan, C.A. Cunniffe, N.J., Cook, A.R., DeSimone, R.E. and Gottwald, T.R.	296
10.5	An approach to model the impact of huanglongbing on citrus yield – Bassanezi, R.B., Bassanezi, R.C.	301
10.6	The plantation edge effect of HLB – a geostatistical analysis – Gottwald, T. and Irey, M.	305
10.7	Estimating the spatial distribution of huanglongbing from a sample – Parnell, S., Gottwald, T.R., Irey, M. S., and van den Bosch, F.	309
10.8	Within-tree spatial distribution of <i>Candidatus Liberibacter asiaticus</i> – Gottwald, T., Parnell, S., Taylor, E., Poole, K., Hodge, J., Ford, A., Therrien, L., Mayo, S. and M. Irey	310
Session 11: Psyllid Management Strategies – M. Rogers, Moderator		
11.1	Bioecology of <i>Diaphorina citri</i> and <i>Tamarixia radiata</i>: zoning for citrus groves of the State of São Paulo – Torres, M.G. and Parra, J. R. P., (presented by Lopes, J. S.)	315
11.2	Repellent effect of guava odor against adults of citrus psyllid, <i>Diaphorina citri</i> – Zaka, S. M., Zeng, X. N.	316
11.3	Wounding of guava (<i>Psidium guajava</i> L.) leaves produces defensive sulfur volatiles – Rouseff, R. L., Onagbola, E. O., Smoot, J. M., and Stelinski, L.L.	318
11.4	Chemical ecology of Asian citrus psyllid (<i>Diaphorina citri</i>) and potential applications of behavior-modifying chemicals for its management – Stelinski, L.L., Onagbola, O.E., and Rouseff, R.L.	319
11.5	Novel reovirus in <i>Diaphorina citri</i> (Hemiptera: Psyllidae) – Marutani-Hert, M., Hunter, W., Hall, D.	320
11.6	Efficiency of insecticides to control <i>Diaphorina citri</i>, vector of huanglongbing bacteria – Yamamoto, P.T., Felipe, M.R., Beloti, V. H., Rugno, G.R.	324
11.7	Integrated pest management of the Asian citrus psyllid (ACP) in Florida – Stansly, P.A., Qureshi, J.A., and Arevalo, H. A.	326
11.8	Perspectives for biological control of <i>Diaphorina citri</i> (Hemiptera: Psyllidae) in Mexico. López-Arroyo, J.I., Jasso, J., Reyes, M., Loera-Gallardo, J., Cortez-Mondoaca, E. and Miranda, M.	329
11.9	Investigations of the feasibility for managing the Asian citrus psyllid using <i>Isaria fumosorosea</i> – Avery, P.B., Hunter, W. B., Hall, D. G., Jackson, M. A. Powell, C. A., Rogers, M. E.	331
11.10	Natural enemies of <i>Diaphorina citri</i> Kuwayama in Northwest Mexico – Cortez-	

	Mondaca, E., Lugo-Angulo, N. E., Pérez-Márquez,	332
11.11	Managing Asian citrus psyllid <i>Diaphorina citri</i> with soil and foliar applications of insecticides – Qureshi, J. A., and Stansly, P. A.	333
Session 12: HLB Management Strategies – J. Graham, Moderator		
12.1	Factors associated with control of huanglongbing in São Paulo, Brazil: A case study - Belasque, J., Bassanezi, R.B., Yamamoto, P.T., Lopes, S.A., Ayres, A.J., Barbosa, J.C., Tachibana, A., Violante, A.R., Tank, A., Giorgetti, C.L., Di Giorgi, F., Tersi, F. Menezes, G., Dragone, J., Catapani, L.F., Jank, R.H. and Bové, J. M.	337
12.2	Monitoring psyllids for early detection and management of huanglongbing – Manjunath, K.L., Halbert, S.E., Ramadugu, C., and Lee, R.	342
12.3	Occurrence and management strategies for HLB in the State of Paraná, Brazil – Leite, R.P.	343
12.4	Observations gleaned from the geospatially referenced and documented spread of HLB in three commercial groves in Florida and the implications of these observations on scouting and management decisions – Irey, M., Gast, T., Terra, R., and Snively, J.	345
12.5	Effect of strategies of inoculum reduction and vector control on huanglongbing progress – Bassanezi, R. B., Yamamoto, P.T., Gimenes-Fernandes, N., Montesino, L. H., Tersi, F.E.A., Sperandio, P. H., Gottwald, T. R., Bergamin-Filho, A., Amorim, L	347
12.6	Better management for citrus greening: chemical-uses or guava-interplanting? Ichinose, K., Bang, D. V., Dien, L. Q.	350
12.7	Imidacloprid-induced systemic acquired resistance (SAR) in Cleopatra mandarin and development of HLB – Graham, J. H., Dawson, W. O., Robertson, C.	352
12.8	Detection of greening in sprouts from citrus tree stumps – Futch, S., Brlansky, R., Irey, M., and Weingarten, S.	353
12.9	Beating huanglongbing – an integrative solution – Hunter, W. B., Peretz, Y., Sela, I., Huet, H., Lapidot, M., Yarden, G.	357
12.10	Flying dragon trifoliolate orange rootstock for high density plantings in São Paulo, Brazil – Stuchi, E.S., Silva, S.R., Sempionato, O.R., Reiff, E.T.	358
12.11	Research on the technique of eliminating huanglongbing disease from Tankan - Yun Zhong, Ganjun Yi, Bo Jiang, Nonghui Jiang, Yan Liu	359
12.12	National and international networking to develop solutions for HLB in South America – Franca, F. H., Machado, M. A., Vieira, L.F., Morais, A. M., Astúa, J. F., Lopes, D. B., Druck, S.	360
12.13	Delivery of antibacterial peptides into citrus cultivars for the control of citrus Huanglongbing (HLB; citrus greening) - Gowda, S., Folimonova, S., Robertson, C., Shilts, T., Garnsey, S. M., and Dawson, W. O.	364
12.14	Micro-budded, High Density Citrus Planting: Is There an Opportunity for HLB Control and Financial Returns? – Skaria, M. and Hanagriff, R.	365
12.15	The State of California implements its action plan for Asian Citrus Psyllid - Polek, M. and Luque-Williams, M.J.	369
Session 13: Host Resistance – F. Gmitter, Moderator		
13.1	Genetic modification of citrus for resistance against citrus greening: preventing expression of anti-bacterial peptides in the fruit – Gurley, B.	371
13.2	Susceptibility of some local mandarins to a Japanese isolate of <i>Candidatus Liberibacter asiaticus</i> – Iwanami, T., and Miyata, S.	372
13.3	Developing transgenic solutions for HLB resistant citrus at the US Horticulture Research Laboratory – Stover, E., Bowman, K., McCollum, G., Niedz, R.	374
13.4	A newly developed agilent microarray designed for the characterization of citrus responses to pathogens – Moore, G. A., Khalaf, A. A., Febres, V. J., Li, L., and Gmitter, F.	375
13.5	Transgenic approaches to control bacterial diseases of citrus – Astúa-Monge, G., Francischini, F.J.B., Kemper, E., Capella, A., Kitajima, J.P., Ferro, J. A., da Silva, A.C.R.	376
13.6	Towards the ultimate solution: genetic resistance to HLB in commercial citrus – Grosser, J.W., Dutt, M., Omar, A., Orbovic, V., and Barthe, G. A.	377

13.7	Examination of host responses of different citrus varieties to HLB infection – Folimonova, S. Y., Garnsey, S. M., and Dawson, W. O.	378
13.8	Evaluation of <i>Candidatus Liberibacter</i> spp. in genetically transformed sweet orange ‘Hamlin’ with atacin A gene – Simões, T. S., Boscariol-Camargo, R.L., Mendes, B.M.J., Mourão Filho, F.A.A., Carlos, E.F., Machado, M.A.	379
13.9	Colonization of citrus relatives by <i>Candidatus Liberibacter asiaticus</i> – Boscariol-Camargo, R. L., Simões, T. S., Malosso, A., Carlos, E.F., Coletta Filho, H.D., Machado, M.A.	380
13.10	Occurrences of huanglongbing disease of pomelo (<i>Citrus grandis</i>) in Northern Thailand – Akarapisan, A., Piwkhao, K., Chanbang, Y., Naphrom, D., Santasup, C.	381
13.11	A preliminary survey of HLB survivors found in abandoned citrus groves – Chen, C., Zeng, J., Yi, G., Xiao, Y., Ou, S., Gmitter, F.	386
13.12	Using transgenic NPR1 to enhance systemic acquired resistance (SAR) in citrus – Febres, V. J., Moore, G. A.	387
13.13	Navelina ISA 315 sweet orange: a CVC tolerant cultivar – Stuchi, E.S., Silva, S.R., Coletta-Filho, H.D., Franco, D., Carvalho, S.A., Sempionato, O.R. Donadio, L.C., Alves, K.C.S.	388
13.14	Phloem specific transgene expression of anti-bacterial genes driven by AtSUC2 gene promoter in transgenic citrus plants to develop citrus greening resistance <u>Omar, A.</u>, Dutt, M., Barthe, G., Orbovic, V. and Grosser, J.	390
13.15	Citrus variegated chlorosis damage assessment in six sweet orange cultivars in São Paulo, Brazil. Franco, D., Stuchi, E., Silva, S., Martins, A., Laranjeira, F.	391
13.16	Colonization of Asiatic Citrus Psyllid and Huanglongbing Development on <i>Citrus</i> and <i>Citrus</i> Relatives in Indonesia – <u>Subandiyah, S.</u>, Himawan, A., Joko, T., Astuti I.P., Holford, P., Beattie, G.A.C., Krugger, R.	393
13.17	A transgenic approach to the control of citrus greening - <u>Reddy, J.D.</u>, and Gabriel, D.W.	394
Session 14: International Citrus Industries: Coping with HLB - Jerry Newlin, Moderator		
14.1	Presentation of Ranked International Research Priorities – T. Gottwald and W. Dixon	401
14.2	Florida Citrus Producers Research Advisory Council (FCPRAC)/National Academy of Science (NAS) –Research and Development - Tom Turpen (<i>Verbal – No Text</i>)	-
Key Take-Home Messages and a View to the Future: Summaries of Research Sessions		
14.3	HLB status and crop losses - Tim Schubert	409
14.4	Survey, detection, diagnosis - Mike Irely	411
14.5	Pathogen sequencing and culturing - William Dawson	413
14.6	Host pathogen interaction - John daGraça	414
14.7	Psyllid biology and genomics - David Hall	415
14.8	Psyllid management - Michael Rogers	417
14.9	HLB management - Andrew Beattie	419
14.10	Host resistance - Ed Stover	421
Key Take-Home Messages and a View to the Future: Industry Summaries/Perspectives		
14.11	Juliano Ayres (<i>Verbal – No Text</i>)	-
14.12	Ray Prewett (<i>Verbal – No Text</i>)	-
14.13	Ted Batkin	-
14.14	Peter McClure (<i>Verbal – No Text</i>)	-
Key Take-Home Messages and a View to the Future: Regulatory Summaries/Perspectives		
14.15	W. Dixon and P. Berger	425
Key Take-Home Messages and a View to the Future: Final Wrap up		
14.16	Jerry Newlin (<i>Verbal – No Text</i>)	-
Addenda		
A1	Author Index	428
A2	List of Participants	436
A3	Meeting Agenda	449

A4	Huanglongbing (HLB) a graft transmissible psyllid-borne citrus disease: Diagnosis and strategies for control in Reunion Island - A case study (Translation from French of excerpts from the original 1988 Ph.D. Thesis of Bernard Aubert, entitled: <i>Le greening une maladie infectieuse des agrumes d'origine bactérienne transmise par des homoptères psyllidés Stratégies de lutte développées à l'île de la Réunion, Circonstances épidémiologiques en Afrique Asie et modalités d'intervention</i>)	460
A5	THE CITRUS HUANG LUNG BIN (GREENING) DISEASE IN CHINA - Kung Hsiang LIN and Kung Hsun LIN. South China Agricultural College, Plant Protection Department, South China Agricultural Research Institute, Guangzhou, Guangdong, P. R. C. Document translated from the original Chinese by Kung Hsun LIN and adapted by B, AUBERT. Original document published in 1956 in <i>Acta Phytopathologica Sinica</i> , Vol. II, Part I, No. I, pp. I-II and Part 2, pp. 14-48.	461
A6	Ranked International Research Priorities: A ranking resulting from a survey of IRCHLB participants – Prepared by T. Gottwald, W. Dixon and E. Taylor	462